

Sortimo®

IVECO Outside – Sortimo Inside



**At your service –
please call us any time!**

Tel. +49 8291 850-0
Fax +49 8291 850-250
E-Mail info@sortimo.com

www.sortimo.com



... IDEAS FOR PROFESSIONALS

Sortimo®

Sortimo International GmbH
Dreilindenstraße 5
D-86441 Zusmarshausen
Tel. +49 8291 850-0
Fax +49 8291 850-250
E-Mail info@sortimo.com

Sortimo®
inside

WB 1007637 / 06.2008 - Wir reserve the right to make technical changes and alterations to the catalogue specifications without notice.



The perfect combination



You have chosen an IVECO LCV because it suits your space requirements, is economical and has the quality you need for your trade and service.

Globelyst is the most innovative in-vehicle equipment from Sortimo. Perfectly suited for your IVECO Daily. Turn your van into a mobile workshop. Flexibility is everything. We have developed an application specific range of modular in-vehicle equipment for your needs.

With the Sortimo Globelyst starter kit you can organise your vehicle for more efficient use. You can personalise your Sortimo system exactly to your own requirements at any stage by choosing from the range of Sortimo accessories.

Why are you waiting? - Let's start working.



There is no need to compromise. Even your most unique needs can be met with our Sortimo Globelyst system. A wide variety of service cases, boxes, drawers or troughs hold your small components and spare parts in place. Cargo bars and lashing rails hold the larger items in place. And folding work bench vices make your work easier – wherever you are.



3 year quality warranty



Crash tested



Organised



Upgradeable



Light weight



Professional



MaxxiSpaceFrame

Drawers

100 % extension, inset boxes are optional



Service case with inset boxes or dividers



S-BOXX

Sturdy small components box, removable and stackable



M-BOXX

Large removable box, handle and lid an option.




Sowaflex® wall protection



Lift-up flap

space-saving swivel assembly



SobogripPlus® or Soboflex®

Safety floors

Crash tested for your safety.



At Sortimo, we've got you covered.



Crash testet

Passive safety plays an important role for the automotive industry, however, it is barely evident when it comes to load safety. Sortimo has worked intensively with your duty-of-care in mind on improving in-vehicle load safety systems.

Ultimately, it is the crash test results that determine the range of products that we offer. In cooperation with accident research agencies and the German automobile club we've been conducting live crash tests for more than 20 years.

This is the only way to find out if our equipment meets the current safety criteria.

We've passed all the tests with flying colours as a result of our systematic safety developments. Only these products, which survive the crash testing, will be taken into the Sortimo range.

Did you know....

At an impact speed of 50 mph, 550 kg of load develops the peak force of 11 tons.



Active protection of the environment with Sortimo Globelyst

Eco-friendly technology for your van




Lightweight construction made by Sortimo

Weight reduction made in Bavaria, Germany – to reduce fuel consumption and CO₂ emissions.

Globelyst combines both the high safety requirement and increased demand for comfort for our customers. Using the Alu Space Frame architecture of Sortimo Globelyst and a smart combination of materials, we can guarantee maximum stability for your vehicle equipment even though we are using fewer components. In addition, by using new materials such as high strength steels, plastics and aluminium much-reduced CO₂ emissions are achieved.

This means, using the rule of thumb, only 100 kg less weight reduces the fuel consumption by 0.3 – 0.5 litres.

Less fuel consumption = less CO₂ emissions.



Sortimo
PATENT



Sortimo Globelyst – active environmental protection with the stamp of quality

Nature has known recycling since it's beginning. And people learnt early that the seemingly unusable for one person is a valuable raw material to another person.

We've optimised the structure of the in-vehicle equipment components increasing the use of removable connections. In combination with this we guarantee that all Sortimo Globelyst components can be disposed of residue-free and then recycled.





IVECO Daily

Wheelbase: 3000 mm

Additional
vehicle models on
request



Driver side (left)



Soboflex® Safety floor

- ▶ Multiplex 12 mm
- ▶ Non slip flooring
- ▶ Cut to measure for all vehicle models
- ▶ No drilling of the vehicle floor
- ▶ Abrasion-proof and easy to clean



DY KU LI-1

- ▶ 6 open trough shelves with 3 dividers each and mats
- ▶ 1 open shelf with rim, 3 dividers and mat
- ▶ 1 open shelf with 2 M-BOXXes with handle and 1 S-BOXX
- ▶ 1 lashing strap

(W x D x H): 2456 x 382 x 1372 mm
Weight: approx. 67.4 kg



DY KU LI-2

- ▶ 6 open trough shelves with 3 dividers each and mats
- ▶ 1 open shelf with 7 S-BOXXes
- ▶ 2 T-BOXXes
- ▶ 2 drawers with dividers and mats
- ▶ 1 lashing strap

(W x D x H): 2456 x 382 x 1372 mm
Weight: approx. 86.9 kg



DY KU LI-3

- ▶ 4 open trough shelves with 3 dividers each and mats
- ▶ 2 open shelves with 7 S-BOXXes each
- ▶ 1 open shelf with rim, 3 dividers and mat
- ▶ 1 open shelf with drop front
- ▶ 1 case clamp
- ▶ 1 lift up flap
- ▶ 1 floor lashing track

(W x D x H): 2456 x 382 x 1372 mm
Weight: approx. 78.4 kg




DY KU LI-4

- ▶ 1 long components trough
- ▶ 2 open shelves with 7 S-BOXXes each
- ▶ 2 open shelves with rim, 6 dividers and mats
- ▶ 2 open trough shelves with 6 dividers and mats
- ▶ 5 drawers with dividers and mats
- ▶ 1 case clamp
- ▶ 1 lashing track
- ▶ 1 lift up flap

(W x D x H): 2456 x 382 x 1392 mm
Weight: approx. 99.1 kg

Passenger side (right)



Sowaflex® Wall cladding

- ▶ Protects the vehicle against internal damage
- ▶ Highly resistant to cracking and shock loads
- ▶ Damp and chemical resistant
- ▶ Cut to measure for all vehicle models
- ▶ 60 % lighter than wood



DY KU RE-1

- ▶ 4 open trough shelves with 3 dividers each and mats

(W x D x H): 1246 x 382 x 1372 mm
Weight: approx. 35.9 kg



DY KU RE-2

- ▶ 2 open trough shelves with 6 dividers and mats
- ▶ 1 open shelf with 7 S-BOXXes
- ▶ 4 drawers with dividers and mats

(W x D x H): 1246 x 382 x 1372 mm
Weight: approx. 52.1 kg



DY KU RE-3

- ▶ 2 open trough shelves with 6 dividers and mats
- ▶ 3 drawers with dividers and mats
- ▶ 2 T-BOXXes on trays
- ▶ 1 service case on a tray
- ▶ 1 lift up flap
- ▶ 1 floor lashing track

(W x D x H): 1246 x 382 x 1372 mm
Weight: approx. 71.1 kg



DY KU RE-4

- ▶ 2 open trough shelves with 6 dividers and mats
- ▶ 4 drawers with dividers and mats
- ▶ 4 service cases on trays
- ▶ 1 lashing track
- ▶ 1 lift up flap
- ▶ 1 folding workbench with vice
- ▶ 1 stowage tray

(W x D x H): 1466 x 382 x 1372 mm
Weight: 102.9 kg



IVECO Daily

Wheelbase: 3300 mm

Additional
vehicle models on
request



Driver side (left)



Soboflex® Safety floor

- ▶ Multiplex 12 mm
- ▶ Non slip flooring
- ▶ Cut to measure for all vehicle models
- ▶ No drilling of the vehicle floor
- ▶ Abrasion-proof and easy to clean



DY MI LI-1

- ▶ 11 open trough shelves with 2 or 3 dividers each and mats
- ▶ 3 open shelves with 6 S-BOXEs
- ▶ 4 drawers with dividers and mats
- ▶ 1 case clamp
- ▶ 1 lashing strap

(W x D x H): 3182 x 382 x 1696 mm
Weight: approx. 128.6 kg



DY MI LI-2

- ▶ 1 long components trough
- ▶ 2 open shelves with 9 S-BOXEs each
- ▶ 6 open trough shelves with 3 dividers each and mats
- ▶ 1 open shelf with 3 M-BOXEs with handles
- ▶ 1 case clamp
- ▶ 1 lift up flap

(W x D x H): 2940 x 382 x 1715 mm
Weight: approx. 110.6 kg



DY MI LI-3

- ▶ 6 open trough shelves with 2 or 3 dividers each and mats
- ▶ 2 open shelves with 4 or 9 S-BOXEs
- ▶ 5 drawers with dividers and mats

(W x D x H): 2214 x 382 x 1695 mm
Weight: approx. 101.0 kg



DY MI LI-4

- ▶ 6 open trough shelves with 1 or 3 dividers each and mats
- ▶ 4 open shelves with 2, 7 or 9 S-BOXEs
- ▶ 1 open shelf with rim, 3 dividers and mat
- ▶ 2 open shelves with drop front
- ▶ 3 T-BOXEs
- ▶ 2 service cases on trays
- ▶ 1 case clamp
- ▶ 2 lashing tracks ▶ 1 lift up flap
- ▶ 1 lashing strap ▶ 1 floor lashing track

(W x D x H): 3182 x 382 x 1695 mm
Weight: approx. 151.7 kg

Passenger side (right)



Sowaflex® Wall cladding

- ▶ Protects the vehicle against internal damage
- ▶ Highly resistant to cracking and shock loads
- ▶ Damp and chemical resistant
- ▶ Cut to measure for all vehicle models
- ▶ 60 % lighter than wood



DY MI RE-1

- ▶ 5 open trough shelves with 3 dividers each and mats

(W x D x H): 1488 x 382 x 1695 mm
Weight: approx. 48.5 kg



DY MI RE-2

- ▶ 4 open trough shelves with 8 dividers and mats
- ▶ 2 open shelves with 4 or 6 S-BOXEs
- ▶ 1 open shelf with drop front
- ▶ 1 open shelf with rim, 2 dividers and mat
- ▶ 3 drawers with dividers and mats
- ▶ 1 open trough shelf with mat
- ▶ 3 T-BOXEs on trays

(W x D x H): 1730 x 382 x 1695 mm
Weight: approx. 105.4 kg



DY MI RE-3

- ▶ 4 open trough shelves with 1 or 3 dividers and mats
- ▶ 2 open shelves with 2 or 7 S-BOXEs
- ▶ 7 drawers with dividers and mats
- ▶ 5 T-BOXEs on trays
- ▶ 1 folding workbench with vice
- ▶ 1 stowage tray

(W x D x H): 1950 x 382 x 1695 mm
Weight: approx. 143.7 kg



DY MI RE-4

- ▶ 3 open trough shelves with 6 dividers and mats
- ▶ 7 drawers with dividers and mats
- ▶ 1 work surface
- ▶ 2 lashing tracks
- ▶ 2 lift up flaps
- ▶ 2 floor lashing tracks

(W x D x H): 1730 x 486 x 1559 mm
Weight: 93.9 kg



The Sortimo Automanager

Perfectly organised on the road

Being on the road a lot you know the problem; files, samples, notebook – everything has to be carried with you, from the car to the client and then back again. An elegant solution for this problem is the very practical Sortimo Automanager.

Securely lashed to the passenger seat, it is a companion you do not want to be without while on your job assignments.

With its extensible, rotating notebook table and large inner compartment you have a complete workstation on hand.

With the Automanager you are keeping everything under control with regard to passive safety. Your valuable notebook is well protected against theft and possible damage caused by a sudden impact.



Need more information?
Please call our
Free hotline service
0800 7678466 or
www.sortimo.de

Sortimo Original Accessories


Lashing systems



01 ratchet strap to suit tracking



02 pinch strap to suit tracking



03 set for gas bottle holder



04 floor eyelet



05 lashing track
(Available in different lengths)



06 screw on lashing track
(Available in different lengths)



07 alu lashing track,
can be countersunk in
Soboflex safety floor




08 alu cargo bars



09 telescopic ladder 2.3 m



10 telescopic ladder, 3.3 m



11 load security net (VDI 2700 tested)



12 lashing track bag
(lashing not included)



13 lashing track Q/R eye

Hygiene



14 paper towel holder



15 waste basket with wall bracket



16 soap dispenser with wall bracket



17 water tap set, 10 litres

Lighting



18 lamp 12 V, 2 x 8 W (360 x 50 x 55 mm)



19 battery operated torch
incl. mains charger 12 V



20 hand held worklamp 12 V
with magnetic base

Tool holder sets



21 stowage tray



22 document pocket



23 cable holder



24 hose/cable holder



25 cable reel holder to be
attached to long component
trough or open trough shelf



26 anti slip protective corners



27 perfo hooks – 18 piece set

Many additional accessories available.